



International Journal of Pharmaceutical Sciences and Drug Analysis



E-ISSN: 2788-9254
P-ISSN: 2788-9246
www.pharmacyjournal.info
IJPSDA 2022; 2(1): 12-14
Received: 08-11-2021
Accepted: 15-12-2021

Khaled Rashed
Department of
Pharmacognosy, National
Research Centre, 33 El-
Bohouth At.-Dokki, Giza,
Egypt

Corresponding Author:
Khaled Rashed
Department of
Pharmacognosy, National
Research Centre, 33 El-
Bohouth At.-Dokki, Giza,
Egypt

Phytochemicals, bioactivities of *Lallemantia royleana*: A short review

Khaled Rashed

Abstract

Lallemantia royleana Benth. is a perennial herb, of Lamiaceae family. Its name is Balangu. It grows in Western Asia, India, Pakistan and Northern of Iraq. The plant has the potency to cure infectious diseases. The seeds contained some chemical compounds as betasitosterol, linoleic, oleic, palmitic and stearic acids. The gums contained protein, and uronic anhydride. The gum is used for abscesses, inflammation and respiratory problems, and in drinks due to its sedative effects.

Keywords: *Lallemantia royleana*, chemical compounds, bioactivities

Introduction

Lallemantia royleana Benth. is from Lamiaceae family. It is from tropical Asia, India, Afghanistan and Pakistan. The seeds are present in Pakistan [1]. The seed gum has proteins, carbohydrates, and crude fibre. The seeds are restorative agents against various diseases. The roots is effective to cure coughing and the poultices of moistened seeds are useful in boils, abscesses and inflammations [2, 3, 4]. *L. royleana* is useful for in skin tumors treatment. The seeds is effective as sedative and cephalic astringent, cardiac tonic [5]. The leaves and roots is effective to treat pneumonia. It is also used in preparation of herbal brain tonics. The seeds is effective for inflammation, and respiratory problems [6, 7]. Some compounds such as Linoleic acid, oleic acid, palmitic acid, and beta-sitosterol were present in the seeds. The seeds gum has chemical compounds as suagrs, D-galactose, L-rhamnose, pentosans, proteins, and some amino acids. The studies proved the presence of carbohydrates, fibre, oil, protein and tannins. Other studies proved this plant and food medicine are the best source of natural and a good healing therapies [8]. This review has phytochemical studies and bioactivities from the plant.

Chemical compounds

The phytochemical analysis of *Lallemantia royleana* proved that the seeds has a high dry matter 92.75% [9]. Some studies proved that the whole seeds has moisture 6.05 ± 0.06 , protein 2.93 ± 0.20 , fat 0.30 ± 0.06 , ash 2.98 ± 0.23 , fiber 24.24 ± 0.11 and total carbohydrate $87.74 \pm 0.55\%$ [10]. The seed oil of the plant gave 2.75%, 14.24/ha, 0.980 mg/microliter, 0.941 mg/microliter and 1.520 degree respectively [11]. The seeds methanolic extract contained alkaloids, flavonoids, glycosides, tannins, volatile oils, and terpenoids [12, 13]. The oil of the seed has 90.71% unsaturated fatty acids and 9.29% saturated fatty acids, [14]. The oil of the aerial parts was investigated. Forty-six compounds, was detected and it represent 94.5% of oil. The major compounds were: tricyclene, α -pinene, and β -myrcene [15, 16]. *Lallemantia royleana* seed mucilage has carbohydrate, protein, and uronic acids [17, 18]. The seeds water-extract of *Lallemantia royleana* was phytochemically. It has monosaccharide as arabinose, galactose, rhamnose and galacturonic acid [19].

Bioactivities

Antimicrobial effects

All *Lallemantia royleana* seeds extracts showed significant anti-bacterial effect against all the tested bacteria. The chloroform extract has the highest anti-bacterial activity (diameter of zone of inhibition= 10.67 ± 1.44 , 11.83 ± 3.79 , 14.00 ± 1.5 and 14.67 ± 0.58 mm against *P. aeruginosa*, *E. coli*, *E. cloacae* and *S. aureus*, respectively) at a concentration of 100 mg/m [20]. Antibacterial from *Lallemantia royleana* essential oil indicated the inhibition of the growth of all bacteria strains and also for the antifungal effect the essential oil of *Lallemantia royleana*, it inhibited the growth of some fungi [21].

Antioxidant potential

The crude methanolic extract of the seeds *Lallemantia royleana* proved $IC_{50} = 140.53 \pm 4.22 \mu\text{g/ml}$ by the method of DPPH method and the value of $576.5 \pm 0.00 \mu\text{g/ml}$ by another method of hydrogen peroxide (22). The seeds of *L. royleana* methanolic extract proved radical scavenging activity with the value of $IC_{50} = 300 \mu\text{g/ml}$ [23].

Antidepressant effect

The antidepressant effect of methanolic extract of *Lallemantia royleana* seeds (25, 50, 75mg/kg, orally) was investigated in mice with acute mild stress model of depression using modified forced swimming test. All doses of the methanolic extract of *L. royleana* seeds produced significant reduction in % immobility. However, the percentage of immobility time was significantly reduced at 50 mg/kg, (56.67%, $p < 0.01$) [24].

Anxiolytic and sedative effects

L. royleana methanol extract from the seeds proved anxiolytic and sedative effects at different concentrations [25].

Hypolipidemic activity

Hypolipidemic effect from *L. royleana* was investigated in rabbits fed diets supplemented with cholesterol (0.5%) for 12 weeks to evoke hypercholesterolemia. The rabbits were treated with several doses from *L. royleana* seeds (0, 5, 10, and 20%) for 12 weeks. The results proved an decrease in all groups treated with *Lallemantia royleana* seeds ($p < 0.05$) [26].

Antiemetic activity

The methanol extract of the plant proved a decrease in retches induced at a dose of 50 mg/kg bw comparable with antiemetic activity to domperidone [27].

Conclusion

Lallemantia royleana has several phytochemicals and pharmacological effects such as antimicrobial, antioxidant, antidepressant, anxiolytic, sedative and others. The present review proved that *Lallemantia royleana* is an important medicinal plant.

References

1. Abbas M, Mehmood T and Arshed Bashir A. Economics of *Lallemantia royleana* (Tukham-Ebalangoo) Production in the Low Intensity Cropping Zone of the Punjab, Pakistan. Pakistan J. Agric. Res. 2012, 2(25).
2. Razavi SMA, Mohammadi Moghaddam T, Mohammad Amini A: Physical-mechanical properties and chemical composition of Balangu seed, International Journal of Food Engineering. 2008, 4(5).
3. Mohammad Amini A: Extraction optimization of Balangu seed gum and effect of Balangu seed gum on the rheological and sensory properties of Iranian flat bread, MSc thesis, Ferdowsi University of Mashhad, Iran. 2007.
4. Ghannadi AR and Zolfaghari B. Compositional Analysis of the Essential Oil of *Lallemantia royleana* Benth. J. Flav. Fragr. 2003;18:237-239.
5. Naghibi F, Mosaddegh M, Motamed SM and Ghorbani A. Labiatae family in folk medicine in Iran: from ethnobotany to pharmacology. Iran J. Pharm. Res. 2005;2:63-79.
6. Abdulrasool AA, Abdulmuttalib AN, Rahi FA. Application of seed mucilage extracted from *Lallemantia royleana* as a suspending agent. Iraqi J Pharm Sci. 2011;20:8-13.
7. Khare CP. Indian Medicinal Plants. An Illustrated Dictionary Springer-Verlag Heidelberg. 2007.
8. Dogruoz N, Zeybek Z, Karagoz A. Antibacterial Activity of Some Plant Extracts. IUFJ. Biol. 2008, 67(1):17-21.
9. Razavi SMA, Mohammadi-Moghaddam T and Mohammad-Amini A. Physico-mechanic and chemical properties of balangu seed. Int J Food Eng. 2008;4(5): 1-10.
10. Farahnaky A, Askari H and Bakhtiyari M. Rheology of balangu Shirazi (*Lallemantia royleana*) seed gum: a high viscosity thickening agent. In: Gums & stabilizers for the food industry 15. Editors: Peter A. Williams and Glyn O. Phillips. RSC press. 2009:190-200.
11. Abbas IS, Hasan EF and Kashmar AM. The influence of the plant spacing on growth and volatile oil quantity and quality of belangu plant (*Lallemantia royleana* Wall). Kerbala Journal of Pharmaceutical Sciences. 2012;4(2):177-182.
12. Jasmine F, Shazia M, Ali SM, Masihur R and Huma M. Phytochemical analysis, in vitro antioxidant potential and GC-MS of *Lallemantia royleana* seeds. International Journal of Scientific and Research Publications. 2016;6(2):407-411.
13. Khan GI. Medicinal seeds malanga from *Lallemantia royleana* Benth. or *Salvia aegyptiaca* Linn. National Seminar on New Millennium Strategies for Quality, Safety & GMPs of Herbal Drugs/ Products, Lucknow, India. 2003: 155.
14. Daneshmandi MS, Afshari RT and Haghighi RS. Identification of chemical and biochemical characteristics of balangu seeds (*Lallemantia royleana* Benth.) Benth.in Wall) under accelerated aging conditions. Iranian Journal of Seed Science and Technology 2017;6(1):23-37.
15. Sharifi-Rad J, Hoseini-Alfatemi SM, Sharifi-Rad M and Setzer WN. Chemical composition, antifungal and antibacterial activities of essential oil from *Lallemantia royleana* (Benth. in Wall.) Benth. J Food Safety. 2015; 35(1):19-25.
16. Behbahani BA and Imani Fooladi AA. Shirazi balangu (*Lallemantia royleana*) seed mucilage: Chemical composition, molecular weight, biological activity and its evaluation as edible coating on beefs. Int J Biol Macromol. 2018;114:882-889.
17. Razavi SM, Cui SW and Ding H. Structural and physicochemical characteristics of a novel water-soluble gum from *Lallemantia royleana* seed. Int J Biol Macromol. 2016;83:142-151.
18. Neda F. Structural elucidation of a water-soluble polysaccharide isolated from balangu Shirazi (*Lallemantia royleana*) seeds. Food Hydrocolloids. 2017;72:263-270.
19. Iram F, Massey S, Iqbal MS and Ward DG. Structural investigation of hemicelluloses from *Plantago ovata*, *Mimosa pudica* and *Lallemantia royleana* by MALDI-ToF mass spectrometry. J Carbohydrate Chemistry. 2018.

20. Mahmood S, Hayat MQ, Sadiq A, Ishtiaq S, Malik S and Ashraf M.. Antibacterial activity of *Lallemantia royleana* (Benth.) indigenous to Pakistan. Afri J Microbiol Res. 2013;7(31):4006-4009.
21. Sharifi-Rad J, Hoseini-Alfatemi SM, Sharifi-Rad M and Setzer WN. Chemical composition, antifungal and antibacterial activities of essential oil from *Lallemantia royleana* (Benth. in Wall.) Benth. J Food Safety. 2015; 35(1):19-25.
22. Jasmine F, Shazia M, Ali SM, Masihur R and Huma M. Phytochemical analysis, in vitro antioxidant potential and GC-MS of *Lallemantia royleana* seeds. International Journal of Scientific and Research Publications 2016;6(2):407-411.
23. Bozorgi M and Vazirian M. Antioxidant activity of *Lallemantia royleana* (Benth.) seed extract. Trad Intrgr Med. 2016;1(4):147-150.
24. Hyder N, Naqvi BS, Ishaq H, Usman S, Naqvi AA and Naveed S. Effect of *Lallemantia royleana* seeds Benth (Lamiaceae) seeds using acute mild stress model in NMRI male mice of depression. J Biotech and Biosafety. 2016;4(2):378-382.
25. Hyder N, Musharraf SG and Shyum Naqvi SB. Diazepam-like effects of *Lallemantia royleana* Benth. (Lamiaceae) seeds in anxiety disorder. Journal of the Neurological Sciences. 2017;381:607-608.
26. Ghannadi A, Movahedian A and Jannesary Z. Hypocholesterolemic effects of balangu (*Lallemantia royleana*) seeds in the rabbits fed on a cholesterol-containing diet. Avicenna J Phytomed. 2015;5(3):167-173.
27. Mohtasheemul HM, Salman A, Ziauddin A and Iqbal A. Anti-emetic activity of some aromatic plants. Journal of Pharmaceutical and Scientific Innovation. 2012;1(1):47-49.